



Gimetal

Maquinarias Agrícolas



Seed and Fertilizer Carts

AC 26000

AC 22000

AC 18000

AC 14000

AC 10000



Seed and Fertilizer Carts

AC 26000

AC 22000

AC 18000

AC 14000

AC 10000



AC 26000

SEED AND GRAIN BULK LOADER/DISTRIBUTOR

Features

- Single-Row Ball Slewing Bearing.
- 4" inch Solid Axles with Leaf Springs, featuring 10-Hole Reinforced Hubs (Truck-Type)
- 15 L Inoculant Tank.
- Divided Hopper featuring a Bolted Central Partition (Seed/Fertilizer capacity).
- Equipped with Load Sight Glasses/Level Indicators and Internal Access Ladder.
- Featuring a Reinforced Guillotine Gate to Prevent Nozzle Clogging.
- Exterior Polyurethane Paint Finish, with Epoxy Coating on Interior Surfaces.
- Load Capacity: 22 Metric Tonnes (t) for Seed / 24-26 Metric Tonnes (t) for Fertilizer.
- The unit is equipped with a 6.50 m (meter) long, 200 mm diameter Auger/Screw Conveyor, driven by a Hydraulic Motor coupled to a Special Gearbox/Gear Reducer. It includes an Inoculant Dispenser (Hopper) mounted directly on the Auger, featuring quick-access, easy-fill, and independent/removable trays.
- Exclusive Dual-Chassis Design: Reinforced and Fully Bolted for Superior Torsion Control.
- Heavy-Duty Drawbar/Hitch with Spring Suspension, plus a Jack Stand, featuring Anti-Slip Decking and a Quick-Access Step.
- Front Hitch with "Truck Eye" Towing Ring (or Drawbar Eye).
- "Simil LED" Lights.
- Equipped with Front and Rear Fenders, complete with Mud Flaps
- Three-Section Telescopic Spout/Tube (or Discharge Tube)
- Standard Canvas Cover.
- Double Access Ladders (Front and Rear), Removable.
- Internal Ladder.
- Rear Hitch.
- Bolted, Movable Rear Bumper.
- High-Quality Decals / High-Grade Labeling.
- Reinforced Dual Rims, Tubeless-Type (8.25x22.5)



“Unique in the Market,
designed for loading Air
Drills, Planters, and
Self-Propelled Fertilizers.”



Optional

- Equipped with a Quick-Unload System, featuring a Hand Crank for Safe Roll-Up/Roll-Out Operation from the Ground.
- Internal Storage Compartment.
- Hand Washing Tank.
- Auger Cleaning Brush.
- Bucket Elevator with Belts and Buckets, powered by a Direct 150 cc Hydraulic Motor, and equipped with an articulated loading/unloading boom (or arm)
- Safety Chains and Shackles.
- Quick-Discharge Tray.
- Electronic Inoculant Metering System.
- Scale System.


MADE IN
ARGENTINA 

AC 22000

SEED AND GRAIN BULK LOADER/DISTRIBUTOR

Features

- Single-Row Ball Slewing Bearing.
- 4" inch Solid Axles with Leaf Springs, featuring 10-Hole Reinforced Hubs (Truck-Type)
- 15 L Inoculant Tank.
- Divided Hopper featuring a Bolted Central Partition (Seed/Fertilizer capacity).
- Equipped with Load Sight Glasses/Level Indicators and Internal Access Ladder.
- Featuring a Reinforced Guillotine Gate to Prevent Nozzle Clogging.
- Exterior Polyurethane Paint Finish, with Epoxy Coating on Interior Surfaces.
- Load Capacity: 18 Metric Tonnes (t) for Seed / 20-22 Metric Tonnes (t) for Fertilizer.
- The unit is equipped with a 6.50 m (meter) long, 200 mm diameter Auger/Screw Conveyor, driven by a Hydraulic Motor coupled to a Special Gearbox/Gear Reducer. It includes an Inoculant Dispenser (Hopper) mounted directly on the Auger, featuring quick-access, easy-fill, and independent/removable trays.
- Exclusive Dual-Chassis Design: Reinforced and Fully Bolted for Superior Torsion Control.
- Heavy-Duty Drawbar/Hitch with Spring Suspension, plus a Jack Stand, featuring Anti-Slip Decking and a Quick-Access Step.
- Front Hitch with "Truck Eye" Towing Ring (or Drawbar Eye).
- "Simil LED" Lights.
- Equipped with Front and Rear Fenders, complete with Mud Flaps
- Three-Section Telescopic Spout/Tube (or Discharge Tube)
- Standard Canvas Cover.
- Double Access Ladders (Front and Rear), Removable.
- Internal Ladder.
- Rear Hitch.
- Bolted, Movable Rear Bumper.
- High-Quality Decals / High-Grade Labeling.
- Reinforced Dual Rims, Tubeless-Type (8.25x22.5)



“Unique in the Market, designed for loading Air Drills, Planters, and Self-Propelled Fertilizers.”

Optional

- Equipped with a Quick-Unload System, featuring a Hand Crank for Safe Roll-Up/Roll-Out Operation from the Ground.
- Internal Storage Compartment.
- Hand Washing Tank.
- Auger Cleaning Brush.
- Bucket Elevator with Belts and Buckets, powered by a Direct 150 cc Hydraulic Motor, and equipped with an articulated loading/unloading boom (or arm)
- Safety Chains and Shackles.
- Quick-Discharge Tray.
- Electronic Inoculant Metering System.
- Scale System.



MADE IN ARGENTINA 

AC 18000

SEED AND GRAIN BULK LOADER/DISTRIBUTOR

Features

- **Single-Row Ball Slewing Bearing, 360°**
- **4" inch Solid Axles with Leaf Springs**, featuring 10-Hole Reinforced Hubs (Truck-Type)
- **15 L Inoculant Tank.**
- **Divided Hopper** featuring a Bolted Central Partition (Seed/Fertilizer capacity).
- **Equipped with Load Sight Glasses/Level Indicators** and Internal Access Ladder.
- **Featuring a Reinforced Guillotine Gate** to Prevent Nozzle Clogging.
- **Exterior Polyurethane Paint Finish**, with Epoxy Coating on Interior Surfaces.
- **Load Capacity:** 14 Metric Tonnes (t) for Seed / 16-18 Metric Tonnes (t) for Fertilizer.
- **The unit is equipped with a 5.50 m (meter) long, 200 mm diameter Auger/Screw Conveyor, driven by a Hydraulic Motor coupled to a Special Gearbox/Gear Reducer.** It includes an Inoculant Dispenser (Hopper) mounted directly on the Auger, featuring quick-access, easy-fill, and independent/removable trays.
- **Exclusive Dual-Chassis Design:** Reinforced and Fully Bolted for Superior Torsion Control.
- **Heavy-Duty Drawbar/Hitch** with Spring Suspension, plus a Jack Stand, featuring Anti-Slip Decking and a Quick-Access Step.
- **Front Hitch with "Truck Eye" Towing Ring** (or Drawbar Eye).
- **"Simil LED" Lights.**
- **Equipped with Front and Rear Fenders**, complete with Mud Flaps
- **Three-Section Telescopic Spout/Tube** (or Discharge Tube)
- **Standard Canvas Cover.**
- **Double Access Ladders (Front and Rear)**, Removable.
- **Internal Ladder.**
- **Rear Hitch.**
- **Bolted, Movable Rear Bumper.**
- **High-Quality Decals / High-Grade Labeling.**
- **Equipped with Reinforced Tubeless Rims.**



“Unique in the Market,
designed for loading Air
Drills, Planters, and
Self-Propelled Fertilizers.”



Optional

- **Quick-Release System, with Hand Crank for Safe Roll-Up/Roll-Out Operation from Ground Level.**
- **Special Duty Rims (11.75x22.5).**
- **Dual Wheels (8.25x22.5).**
- **Internal Storage Compartment.**
- **Hand Wash Tank.**
- **Special-Duty "Truck Eye" Towing Ring.**
- **Auger Cleaning Brush.**
- **Bucket Elevator System, powered by a Direct 150 cc Hydraulic Motor, and equipped with an Articulated Loading and Unloading Boom.**
- **Equipped with Safety Chains and Shackles.**
- **Quick-Discharge Tray.**
- **Electronic Inoculant Metering System.**
- **Scale System.**

MADE IN
ARGENTINA 

AC 14000

SEED AND GRAIN BULK LOADER/DISTRIBUTOR

Features

- Steel Ball Slewing Ring (Bearing) with 360° Rotation.
- 3" inch Solid Axles with Leaf Spring Suspension, and 5Hole Reinforced Hubs.
- 15Lts. Inoculant Tank
- Split/Divided Hopper with Bolted Central Partition (Seed/Fertilizer)
- Load Sight Glasses (Level Indicators)
- Exterior Polyurethane Finish, with Internal Epoxy Coating.
- Load Capacity: 12 Metric Tonnes (t) for Seed / 14–16 Metric Tonnes (t) for Fertilizer.
- The unit is equipped with a 5 m (meter) long, 160 mm diameter Auger/Screw Conveyor, driven by a Hydraulic Motor coupled to a Special Gearbox/Gear Reducer. It includes an Inoculant Dispenser (Hopper) mounted directly on the Auger, featuring quick-access, easy-fill, and independent/removable trays.
- Exclusive Dual-Chassis Design: Reinforced and Fully Bolted for Superior Torsion Control.
- Reinforced Drawbar/Hitch, featuring Anti-Slip Decking and a Quick-Access Step.
- Equipped with Front and Rear Fenders
- Three-Section Telescopic Tube.
- Canvas cover.
- Double Access Ladders (Front and Rear), Removable.
- Rear Hitch.
- High-Quality Decals.
- Reinforced Tubeless Rims
- Bolted, Movable Rear Bumper.



“Unique in the Market, designed for loading Air Drills, Planters, and Self-Propelled Fertilizers.”



Optional

- Quick-Release System, with Hand Crank for Safe Roll-Up/Roll-Out Operation from Ground Level.
- Special Duty Rims (11.75x22.5)
- Dual Wheels (8.25x22.5).
- Internal Storage Compartment.
- Hand Wash Tank.
- Special-Duty "Truck Eye" Towing Ring.
- Auger Cleaning Brush.
- Bucket Elevator System, powered by a Direct 150 cc Hydraulic Motor, and equipped with an Articulated Loading and Unloading Boom.
- Equipped with Safety Chains and Shackles.
- Quick-Discharge Tray.
- Electronic Inoculant Metering System.
- Scale System.



MADE IN ARGENTINA 

AC 10000

SEED AND GRAIN BULK LOADER/DISTRIBUTOR

Features

- Steel Ball Slewing Ring (Bearing) with 360° Rotation.
- 3" inch Solid Axles with Leaf Spring Suspension, and 5Hole Reinforced Hubs.
- 15Lts. Inoculant Tank
- Split/Divided Hopper with Bolted Central Partition (Seed/Fertilizer)
- Load Sight Glasses (Level Indicators)
- Exterior Polyurethane Finish, with Internal Epoxy Coating.
- Load Capacity: 8 Metric Tonnes (t) for Seed / 10-12 Metric Tonnes (t) for Fertilizer.
- The unit is equipped with a 5 m (meter) long, 160 mm diameter Auger/Screw Conveyor, driven by a Hydraulic Motor coupled to a Special Gearbox/Gear Reducer. It includes an Inoculant Dispenser (Hopper) mounted directly on the Auger, featuring quick-access, easy-fill, and independent/removable trays.
- Exclusive Dual-Chassis Design: Reinforced and Fully Bolted for Superior Torsion Control.
- Reinforced Drawbar/Hitch, featuring Anti-Slip Decking and a Quick-Access Step.
- Equipped with Front and Rear Fenders
- Three-Section Telescopic Tube.
- Canvas cover.
- Double Access Ladders (Front and Rear), Removable.
- Rear Hitch.
- High-Quality Decals.
- Reinforced Tubeless Rims
- Bolted, Movable Rear Bumper.

“Unique in the Market, designed for loading Air Drills, Planters, and Self-Propelled Fertilizers.”



Optional

- Quick-Release System, with Hand Crank for Safe Roll-Up/Roll-Out Operation from Ground Level.
- Special Duty Rims (11.75x22)
- Dual Wheels (8.25x22.5).
- Internal Storage Compartment.
- Hand Wash Tank.
- Special-Duty "Truck Eye" Towing Ring.
- Auger Cleaning Brush.
- Bucket Elevator System, powered by a Direct 150 cc Hydraulic Motor, and equipped with an Articulated Loading and Unloading Boom.
- Equipped with Safety Chains and Shackles.
- Quick-Discharge Tray.
- Electronic Inoculant Metering System.
- Scale System.



MADE IN ARGENTINA 

SEED AND FERTILIZER CARTS

AC 26000



• **Capacity:** 26 m³

• 6.5 m auger with rotating head for seeders and fertilizer spreaders; solid shafts, divided hopper, dual wheels, 200 mm elevator or auger, load sight windows, with cover.

AC 22000



• **Capacity:** 22 m³

• 6.5 m auger with rotating head for seeders and fertilizer spreaders; solid shafts, divided hopper, dual wheels, 200 mm elevator or auger, load sight windows, with cover and inspection windows.

AC 1800



• **Capacity:** 18 m³

• Solid shafts, divided hopper, single or dual wheels, load sight windows, fenders and lights, with cover, screw conveyor or elevator.

AC 14000



• **Capacity:** 14 m³

• Solid shafts, hopper with dividers, rims, with cover, fenders, equipped with screw conveyor or elevator with hydraulic motor and loading/unloading arm.

Tolva cerealera y sembrera

AC 10000

- Capacidad: ?? m³
- ??????







www.gimetal.com.ar